

United States Patent and Trademark Office

₩

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/524,665	02/11/2005	Volker Hennige	265368US0XPCT	1535
22850 7590 10/18/2007 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			RHEE, JANE J	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
		1795		
		<u>.</u>	NOTIFICATION DATE	DELIVERY MODE
			10/18/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)	
	10/524,665	HENNIGE ET AL.	
Office Action Summary	Examiner	Art Unit	
	Jane Rhee	1795	
The MAILING DATE of this communication Period for Reply		1	
A SHORTENED STATUTORY PERIOD FOR REL WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	B DATE OF THIS COMMUNICATION OF THIS COMMUNI	CATION. reply be timely filed ITHS from the mailing date of this communication.	
Status			
Responsive to communication(s) filed on 29 This action is FINAL . 2b) ☑ T Since this application is in condition for allow closed in accordance with the practice under	his action is non-final. wance except for formal matt		
Disposition of Claims			
4) Claim(s) 1-30 is/are pending in the applicating 4a) Of the above claim(s) 13-28 is/are withd 5) Claim(s) is/are allowed. 6) Claim(s) 1-12,29 and 30 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and are subject to restriction and are subjected to by the Exame 10) The specification is objected to by the Exame 10) The drawing(s) filed on is/are: a) are subjected to by the Exame 10. The drawing(s) filed on is/are: a) are subjection to the specificant may not request that any objection to the specificant may not request t	rawn from consideration. d/or election requirement. hiner. accepted or b) \(\subseteq \) objected to the drawing(s) be held in abeyar	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corr			
Priority under 35 U.S.C. § 119		To the first terms of the first	
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the Internation for a limit of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the Internation for a limit of the papplication for a limit of the papplicatio	ents have been received. ents have been received in A riority documents have been eau (PCT Rule 17.2(a)).	pplication No received in this National Stage	
Attachment(s)	_		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>See Continuation Sheet</u>. 	Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application 	

Continuation of Attachment(s) 3). Information Disclosure Statement(s) (PTO/SB/08), Paper No(s)/Mail Date :6/11/07,6/20/05,3/16/05,2/11/05.

Art Unit: 1745

DETAILED ACTION

Election/Restrictions

1. Applicant's election with traverse of Group I in the reply filed on 8/29/2007 is acknowledged. The traversal is on the ground(s) that there is no burden on the examiner to examine all the claims. This is not found persuasive because even if there is no burden there is a lack of unity between the two groups because it is a 371 restriction.

The requirement is still deemed proper and is therefore made FINAL.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Application/Control Number: 10/524,665 Page 3

Art Unit: 1745

2. Claims 1 –6 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 22,26,28-34 of copending Application No. 10575734. Although the conflicting claims are not identical, they are not patentably distinct from each other because both copending application and present application discloses a separator-electrode unit comprising a porous electrode and a separator layer applied to said porous electrode, wherein the separator-electrode unit comprises an inorganic separator layer which comprises at least two fractions of metal oxide particles which differ from each other in their average particle size and/or in the metal, the separator layer comprising metal oxide particles having an average particle size (D.sub.g) which is greater than the average pore size (d) of the pores of the porous electrode that are adhered together by metal oxide particles having a particle size (D.sub.k) which is smaller than the pores of the porous positive electrode.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

⁽b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 1745

3. Claims 1-6,11,12,29 are rejected under 35 U.S.C. 102(b) as being anticipated by Penth et al. (WO 99/15272, US Patent 6299778 used as an accurate English translation).

As to claim 1, Penth et al. discloses a separator-electrode unit comprising a porous electrode and a separator layer applied to said porous electrode (col. 2 lines 16-22, the composite is the separator and the carrier is the electrode), wherein the separator-electrode unit comprises an inorganic separator layer which comprises at least two fractions of metal oxide particles which differ from each other in their average particle size and/or in the metal (col. 5 lines 1-7), the separator layer comprising metal oxide particles having an average particle size (D.sub.g) which is greater than the average pore size (d) of the pores of the porous electrode (col. 4 lines 65-67 and col. 4 lines 16-17) that are adhered together by metal oxide particles having a particle size (D.sub.k) which is smaller than the pores of the porous positive electrode (col. 4 lines 65-67, col. 4 lines 16-17).

As to claim 2, Penth et al. discloses wherein the separator layer has a thickness (z) which is less than 100 D.sub.g and not less than 1.5 D.sub.g (col. 7 lines 36-38).

As to claim 3, Penth et al. discloses wherein the separator layer has a thickness (z) which is less than 20 D.sub.g and not less than 5 D.sub.g (col. 7 lines 36-38)

As to claim 4, Penth et al. discloses wherein the metal oxide particles having an average particle size (D.sub.g) which is greater than the average pore size (d) of the pores of the porous positive electrode are Al.sub.2O.sub.3 and/or ZrO.sub.2 particles (col. 4 line 54).

Application/Control Number: 10/524,665 Page 5

Art Unit: 1745

As to claim 5, Penth et al. discloses wherein the metal oxide particles having an average particle size (D.sub.k) which is smaller than the average pore size (d) of the pores of the porous positive electrode are SiO.sub.2 and/or ZrO.sub.2 particles (col. 4 line 54).

As to claim 6, Penth et al. discloses, wherein the metal oxide particles having an average particle size (D.sub.g) which is greater than the average pore size (d) of the pores of the porous positive electrode have an average particle size (D.sub.g) of less than 10 .mu.m (col. 4 line 67).

As to claim 11, wherein the unit is bendable down to a radius of 50 cm without damage, since Penth et al. discloses the same material for the separator-electrode unit desired by the applicant, it is inherent that the unit is bendable down to a radius of 50 cm without damage.

As to claim 12, Penth et al. discloses wherein the electrode is an electrode which is capable of functioning as a positive electrode (cathode) or as a negative electrode (anode) (col. 11 lines 26-29).

As to claim 29, the use of a separator electrode unit in lithium batteries is an intended use. It has been held that a recitation with respect to the manner in which the claimed particle is intended to be employed does not differentiate the claimed article form a prior art article satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987)

Claim Rejections - 35 USC § 103

Application/Control Number: 10/524,665

Art Unit: 1745

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 7-10,30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Penth et al. in view of Yamashita et al. (6287720).

Penth et al. discloses the electrode-separator unit described above. Penth et al. fail to disclose wherein the separator layer comprises a coating with shutdown particles which melt at a desired shutdown temperature. Penth et al. fail to disclose wherein the shutdown particles have an average particle size (D.sub.w) which is not less than the average pore size (d.sub.s) of the pores of the porous separator layer. Penth et al. fail to disclose wherein the shutdown particle layer has a thickness (z.sub.w) which ranges from about equal to the average particle size of the shutdown particles (D.sub.w) up to 10 D.sub.w. Penth et al. fail to disclose wherein the separator layer has a porosity of from 30 to 70%. Penth et al. fail to disclose a battery comprising the electrode separator unit.

Yamashita et al. discloses a battery wherein the separator layer comprises a coating with shutdown particles which melt at a desired shutdown temperature (col. 5 lines 24-34), wherein the shutdown particles have an average particle size (D.sub.w) which is not less than the average pore size (d.sub.s) of the pores of the porous separator layer (col. 7 lines 47-51) and that the shutdown particle layer has a thickness (z.sub.w) which ranges from about equal to the average particle size of the shutdown

Art Unit: 1745

particles (D.sub.w) up to 10 D.sub.w (col. 7 lines 52-55) and wherein the separator layer has a porosity of from 30 to 70% (col. 8 lines 32-35) for the purpose of providing a battery at high performance, high safety and low cost (col. 3 lines 10-13).

Therefore, it would have been obvious to one having ordinary skill in the art at the time applicant's invention was made to provide, Penth et al. with a battery wherein the separator layer comprises a coating with shutdown particles which melt at a desired shutdown temperature, wherein the shutdown particles have an average particle size (D.sub.w) which is not less than the average pore size (d.sub.s) of the pores of the porous separator layer and that the shutdown particle layer has a thickness (z.sub.w) which ranges from about equal to the average particle size of the shutdown particles (D.sub.w) up to 10 D.sub.w and wherein the separator layer has a porosity of from 30 to 70% in order to provide a battery at high performance, high safety and low cost (col. 3 lines 10-13) as taught by Yamashita et al.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jane Rhee whose telephone number is 571-272-1499. The examiner can normally be reached on M-F 9-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/524,665

Art Unit: 1745

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 8

Jane Rhee

October 11,2007

mehre